


Solar Control 20



Performance Data

Total Solar Energy Reduction	78%
Solar Energy Reflected	46%
Solar Energy Absorbed	40%
Solar Energy Transmittance	14%
Visible Light Transmittance	22%
Visible Light Reflected	42%
Ultra Violet Light Reflected	99%
Shading Coefficient	.32
Solar Heat Gain Coeff. (g Value)	.28
Emissivity	.67
Glare Reduction	76%



Performance Guide

Solar Heat Rejection	☀️☀️☀️☀️☀️☀️☀️☀️
Glare Reduction	☀️☀️☀️☀️☀️☀️☀️☀️
UV Reduction	☀️☀️☀️☀️☀️☀️☀️☀️
Fade Reduction	☀️☀️☀️☀️☀️☀️☀️☀️
Safety & Security	☀️☀️☀️☀️☀️☀️☀️☀️
One-Way Privacy	☀️☀️☀️☀️☀️☀️☀️☀️
Two-Way Privacy	☀️☀️☀️☀️☀️☀️☀️☀️
Scratch Resistance Coating	Yes
Warranty Period	10 Years

Key:

Excellent ☀️☀️☀️☀️☀️☀️☀️☀️ Some Benefit ☀️☀️☀️☀️☀️☀️☀️☀️
N/A ☀️☀️☀️☀️☀️☀️☀️☀️

Window Film Notes

This popular spectrally selective film offers excellent solar heat, glare and UV protection, but allowing very good visible light transmission. This film has a very subtle neutral appearance once installed. Much less internal reflectance than traditional window films.



T: 01428 751004
E: sales@solarcontrol.co.uk
W: www.solarcontrol.co.uk